



Sublimation Flock Material

Part Number : 71-0410

A4 sheets (pack of 10)

Instruction Sheet

Sublimation Flock has been manufactured for printing, using sublimation inks and is suitable for application to, cotton and poly-cotton.

General Use.

- ✚ Print Images and template onto the Sublimation Paper
- ✚ Set heat press to 200°C for 30 – 35 seconds.

Position the Sublimation Paper onto the Sublimation Flock print side, face down with the application paper on the top & bottom to protect the press bed.

- ✚ Press the Sublimation Flock for 30- 35 seconds at 200°C under a medium pressure.
- ✚ Once the Flock has been pressed, remove the sublimation paper immediately while still hot.
- ✚ Remove transfers from backing after cutting.
- ✚ Apply transfer onto the garment at 170°C for 10 seconds.

Technical Information

- ✚ Machine wash 60°C.
- ✚ Do not use harsh or bleaching washing substances.
- ✚ If ironing is required, only iron inside out on reverse of the transfer.

The sellers and manufacturers maximum obligation, shall be to replace any material that has found to be defective. Neither the Seller or the Manufacturer of Sublimation Flock shall be liable for any injury, direct or consequential, arising out of the use, or inability to use this material.



MEGA ELECTRONICS LIMITED.,

Mega House, Grip Industrial Estate, Linton, Cambridge. England. CB21 4XN

Telephone: +44 (0) 1223 893900 Fax: +44 (0) 1223 893894

email: sales@megauk.com

web: www.megauk.com

Ver1(1106)