



SAFETY DATA SHEET

ABC 972 LEVELLER

1. IDENTIFICATION OF SUBSTANCE AND COMPANY

TRADE NAME	ABC 972 LEVELLER Mega Part Nos. 500-147 & 500-147-1
Producer/importer	Mega Electronics Limited
Address	Mega House, Grip Industrial Estate, Linton, Cambridge
Country	ENGLAND
Postal code	CB21 4XN
Telephone	+44 (0) 1223 893900
Fax	+44 (0) 1223 893894

2. HAZARDS IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

CLASSIFICATION (1999./45) R52/53

3. COMPOSITION/INFORMATION ON INGREDIENTS

No	Ingredient name	EC No.	CAS No.	Conc. (wt%)	Classification
2	COPPER SULPHATE	231-847-6	7758-98-7	<1	Xn: R22 Xi: R36/38 N: R50/53

The full text for R-Phrases are in Section 16
Legend: T+=Very toxic, T=Toxic, C=Corrosive, Xn=Harmful, Xi=Irritant, E=Explosive, O=Oxidising, F+=Extremely flammable, F=Highly flammable, N=Dangerous for the environment

COMPOSITION COMMENTS: Contains surface active agents.

4. FIRST AID MEASURES

GENERAL INFORMATION	Remove affected person from source of contamination. Get medical attention if any discomfort Get medical attention if any discomfort continues.
INHALATION	Move the exposed person to fresh air at once. Get medical attention if any discomfort continues
INGESTION	Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.
SKIN CONTACT	Remove affected person from source of contamination. Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Get medical attention if irritation persists after washing.
EYE CONTACT	Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA Use fire-extinguishing media appropriate for surrounding materials.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Wear protective clothing as described in Section 8 of this safety data sheet.
ENVIRONMENTAL PRECAUTIONS	Do not discharge into drains, water courses or onto the ground.
SPILL CLEAN UP METHODS	DO NOT touch spilled material. Wear necessary protective equipment. Provide ventilation and confine spill. Do not allow run-off into sewer. Absorb with inert damp, non-combustible material, then flush area with water. Inform Authorities if large amounts are involved.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS	Avoid spilling, skin and eye contact.
STORAGE PRECAUTIONS	Store in tightly closed original container in a dry, cool and well-ventilated place. Store in closed original container at temperatures between 5°C and 30°C
STORAGE	Chemical Storage.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs	STEL - 15 mins	Notes
COPPER SULPHATE	WEL	1 (Cu) mg/m ³	2(Cu) mg/m ³	
WEL = WORKPLACE EXPOSURE LEVELS				

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES	No particular ventilation requirements.
HAND PROTECTION	Use suitable protective gloves if risk of skin contact.
EYE PROTECTION	If risk of splashing, wear safety goggles or face shield.
OTHER PROTECTION	Wear appropriate clothing to prevent any possibility of skin contact.
HYGIENE MEASURES	DO NOT SMOKE IN WORK AREA!

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Clear Liquid.
Colour:	Blue.
Solubility:	soluble in water.
Relative Density:	1.02 @ 20°C
pH Value:	<1.5

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal temperature conditions.

11. TOXICOLOGICAL INFORMATION

HEALTH WARNINGS No specific health warnings noted.

NAME	COPPER SULPHATE
Toxic Dose 1 - LD 50	520 mg/kg (oral rat)

12. ECOLOGICAL INFORMATION

ECOTOXICITY	This product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.
NAME	COPPER SULPHATE
LC 50 96 Hrs, FISH mg/l	0.1
EC50, 48 Hrs, DAPHNIA mg/l	0.024
Mobility	
	This product is soluble in water.
	Acute Fish Toxicity
	Toxic to aquatic organisms

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

GENERAL This product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID)

No transport warning sign required.

15. REGULATORY INFORMATION

R-PHRASES R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-PHRASES S60 This material and its container must be disposed of as hazardous waste.

UK REGULATORY REFERENCES Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations.

STATUTORY INSTRUMENTS Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

GUIDANCE NOTES Workplace Exposure Limits EH40.

NATIONAL REGULATIONS: Regulation (EC) 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

16. OTHER INFORMATION

INFORMATION SOURCES:

Dangerous Properties of Industrial Chemicals, N.Sax, Croner's: Dangerous Substances. Croner's: Emergency Spillage Guide. Croner's: Substances Hazardous to Health. Material Safety Data Sheet, Misc. manufacturers.

REVISION DATE: 30.11.2010

REV. NO./REPL. SDS 2
GENERATED

RISK PHRASES IN FULL

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy him/herself as to the suitability of such information for his/her own particular use.