

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## G101c

SUBID : 000000011596

Version 1

Print Date 23.12.2008

Revision Date 18.12.2008

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Identification of the substance/preparation

Mega Part Number 57-61706

Product name : G101c Photoplot Developer

Use of the Substance/Preparation : Photographic developer concentrate

#### Company/Undertaking Identification

#### Supplier

Agfa-Gevaert NV  
Septestraat 27  
2640 Mortsel  
Belgium

Tel. : +32 3 4445501

Fax : +32 3 4445503

Person responsible for the safety data sheet: Jos Vanholzaets

E-mail: electronic.sds@agfa.com

Mega Electronics Ltd.,  
Mega House, Grip Industrial Estate  
Linton, Cambridge, CB21 4XN  
United Kingdom  
Tel: +44(0) 1223 893900/ Fax: 893894

Emergency telephone number : +32 3 4443333 (24h/24h)

### 2. HAZARDS IDENTIFICATION

#### EC-classification:

Symbol(s)	: Xn	Harmful
R-phrase(s)	: R36	Irritating to eyes.
	: R40	Limited evidence of a carcinogenic effect.
	: R43	May cause sensitization by skin contact.
	: R68	Possible risk of irreversible effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 15. Full text of each relevant R-phrase is listed in section 16.

Aqueous photographic developer concentrate, mainly consisting of:

#### Hazardous components

- Potassium carbonate Concentration [%] : 5.0 - 10.0  
CAS-No. : 584-08-7  
EINECS-No. : 209-529-3  
Symbol(s) : Xi  
R-phrase(s) : R36/38
- Hydroquinone Concentration [%] : 1.0 - 5.0  
CAS-No. : 123-31-9  
Index-No. : 604-005-00-4  
EINECS-No. : 204-617-8  
Symbol(s) : Xn, N  
R-phrase(s) : R22, R40, R41, R43, R50, R68
- Diethylene glycol Concentration [%] : 0.5 - 1.0  
CAS-No. : 111-46-6  
Index-No. : 603-140-00-6  
EINECS-No. : 203-872-2  
Symbol(s) : Xn

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## G101c

SUBID : 000000011596

Version 1

Print Date 23.12.2008

Revision Date 18.12.2008

R-phrase(s)	: R22			
• EDTA-sodium salt		Concentration [%] :	0.1 -	0.5
CAS-No.	: 64-02-8			
EINECS-No.	: 200-573-9			
Symbol(s)	: Xn			
R-phrase(s)	: R22, R41			
• 1-Phenyl-3-pyrazolidone		Concentration [%] :	0.1 -	0.5
CAS-No.	: 92-43-3			
Index-No.	: 606-022-00-2			
EINECS-No.	: 202-155-1			
Symbol(s)	: Xn, N			
R-phrase(s)	: R22, R51/53			
<b>Other</b>				
• Water		Concentration [%] :	60.0 -	80.0
• Potassium sulphite		Concentration [%] :	5.0 -	10.0
• Sodium sulphite		Concentration [%] :	1.0 -	5.0
• Sodium bromide		Concentration [%] :	1.0 -	5.0

#### 4. FIRST AID MEASURES

Eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	: Wash immediately with plenty of water and soap. If symptoms persist, seek medical advice.
Ingestion	: Rinse mouth with plenty of water. Seek medical advice.
Inhalation	: Take person to fresh air. If necessary, seek medical advice.

#### 5. FIRE-FIGHTING MEASURES

Further information : Product is not combustible.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: See section : Exposure controls / personel protection.
Environmental precautions	: For waste disposal see section 13.
Methods for cleaning up	: Dike the spill if necessary. Soak up with absorbent material. Collect large spills into a properly labelled and sealable container. Prevent release into the drain, soil or surface water.
Additional advice	: Wash away residues with plenty of water.

#### 7. HANDLING AND STORAGE

##### Handling

Advice on protection against fire and explosion : No special protective measures against fire and explosion required.

##### Storage

Requirements for storage areas and containers : Keep container tightly closed. Protect from direct sunlight.

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## G101c

SUBID : 000000011596

Version 1

Print Date 23.12.2008

Revision Date 18.12.2008

Advice on common storage : Store away from strong acids, strong alkalis and strong oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Limit Values

Components	CAS-No.	Values	Type	Revision Date	Basis
Hydroquinone	123-31-9	0.5 mg/m <sup>3</sup>	TWA	2005	EH40 WEL

### Exposure controls

- Engineering measures : Ventilation should be sufficient so that any applicable occupational exposure limits are not exceeded.
- Hygiene measures : Observe normal precautions when handling chemicals. Avoid inhaling vapour. Keep away from foodstuffs, drinks and tobacco.
- Hand protection : Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness  $\geq$  0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness  $\geq$  0.38 mm, breakthrough time > 480 min) or neoprene (thickness  $\geq$  0.65 mm, breakthrough time > 240 min). For intermittent splash protection corresponding gloves with breakthrough times > 60 min can be used. Avoid gloves made of: natural latex.
- Eye protection : Safety glasses.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### General Information

- Form : Liquid.
- Colour : Colourless to yellowish
- Odour : Odourless.

### Important Health Safety and Environmental Information

- Vapour pressure (20 °C) : 23.00 hPa
- Relative density (20 °C) : 1.245
- Solubility/qualitative : Miscible with water at all ratios.
- pH (25 °C) : 10.8
- Melting point/range : < 0 °C
- Boiling point/range : > 100 °C
- Relative vapour density : Not applicable
- Ignition temperature : Not applicable
- Lower explosion limit : Not applicable
- Upper explosion limit : Not applicable

## 10. STABILITY AND REACTIVITY

- Stability : The product is stable under normal conditions of storage and use.
- Conditions and materials to avoid : Avoid contact with strong acids, strong alkalis and strong oxidizing agents. Remove all chemicals and rinse the

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## G101c

SUBID : 000000011596

Version 1

Print Date 23.12.2008

Revision Date 18.12.2008

Hazardous decomposition products : processing tanks thoroughly with water before using any cleansing products.  
: None

## 11. TOXICOLOGICAL INFORMATION

### Acute oral toxicity

- Potassium carbonate : LD50 rat > 2,000 mg/kg
- Hydroquinone : LD50 rat 320 mg/kg
- Diethylene glycol : LD50 rat 12,565 mg/kg
- EDTA-sodium salt : LD50 rat > 1,000 mg/kg
- 1-Phenyl-3-pyrazolidone : LD50 rat 200 mg/kg

### Acute dermal toxicity

- Hydroquinone : LD50 cat 5,970 mg/kg
- Diethylene glycol : LD50 rabbit 11,890 mg/kg
- EDTA-sodium salt : LD50 rabbit > 2,000 mg/kg
- 1-Phenyl-3-pyrazolidone : LD50 guinea pig > 1,000 mg/kg

### Other information

There is insufficient scientific evidence for classifying hydroquinone as a suspected carcino- or mutagenic substance in humans. Epidemiologic studies over a period of 48 years, wherein -during manufacturing and use of hydroquinone- more than 800 human individuals were daily exposed at significant airborne concentrations (greater than the MEL of 0.5 mg/m<sup>3</sup>), demonstrated that such exposure is not associated with the induction of cancer in humans.  
Hazard labelling of this preparation or substance : see section 15.

## 12. ECOLOGICAL INFORMATION

### Elimination information (persistence and degradability)

#### Biodegradation

- Hydroquinone : OECD 301D Assessment of biological degradability > 80 % after 28 d
- 1-Phenyl-3-pyrazolidone : OECD 302B Inherent biodegradability 64 % after 28 d

### Ecotoxicity effects

#### Toxicity to fish

- Potassium carbonate : Species: Pimephales promelas (fathead minnow)  
LC50: > 100 mg/l/ 96 h
- Hydroquinone : Species: Brachidanio rerio (zebra fish)  
LC50: 0.11 to 0.64 mg/l/ 96 h
- Diethylene glycol : Species: Lepomis macrochirus (bluegill sunfish)  
LC50: > 1,000 mg/l/ 96 h
- EDTA-sodium salt : Species: Leuciscus idus (golden orfe)  
LC50: > 500 mg/l/ 96 h
- 1-Phenyl-3-pyrazolidone : Species: Pimephales promelas (fathead minnow)  
LC50: < 10 mg/l/ 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## G101c

SUBID : 000000011596

Version 1

Print Date 23.12.2008

Revision Date 18.12.2008

### Toxicity to daphnia

- Potassium carbonate : Species: Daphnia magna (water flea)  
EC50: 100 mg/l/ 48 h
- Hydroquinone : Species: Daphnia magna (water flea)  
EC50: 0.3 mg/l/ 48 h
- Diethylene glycol : Species: Daphnia magna (water flea)  
EC50: > 1,000 mg/l/ 24 h
- EDTA-sodium salt : Species: Daphnia magna (water flea)  
EC50: > 100 mg/l/ 48 h
- 1-Phenyl-3-pyrazolidone : Species: Daphnia magna (water flea)  
EC50: 10 mg/l/ 96 h

### Toxicity to algae

- Hydroquinone : Species: Selastrum capricornutum (algae)  
EC50: 0.3 mg/l/ 72 h
- Diethylene glycol : Species: Scenedesmus quadricauda (algae)  
EC0: 2,700 mg/l/ 7 d
- 1-Phenyl-3-pyrazolidone : Species: Selastrum capricornutum (algae)  
EC0: 10 mg/l/ 48 h

### Toxicity to bacteria

- Diethylene glycol : Species: Pseudomonas putida (bacteria)  
EC10: 8,000 mg/l/ 72 h

## 13. DISPOSAL CONSIDERATIONS

### Waste disposal methods

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. When this product or its contaminated packaging has to be removed as waste, contact an authorized waste contractor. May be discharged to drain if local regulations permit.

For waste resulting from this product, it is recommended to use European Waste Code : 09 01 01 (water-based developer and activator solutions).

## 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

## 15. REGULATORY INFORMATION

### Labelling according to EC Directives

Hazardous components which must be listed on the label :

- CAS-No. : 123-31-9 Hydroquinone
- Symbol(s) : Xn Harmful
- R-phrase(s) : R36 Irritating to eyes.
- R40 Limited evidence of a carcinogenic effect.
- R43 May cause sensitization by skin contact.
- R68 Possible risk of irreversible effects.
- S-phrase(s) : S26 In case of contact with eyes, rinse immediately with

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006



## G101c

SUBID : 000000011596

Version 1

Print Date 23.12.2008

Revision Date 18.12.2008

S36/37/39 plenty of water and seek medical advice.  
Wear suitable protective clothing, gloves and eye/face protection.

### 16. OTHER INFORMATION

Section(s) changed compared to the previous issue: 12

#### Further information

Text of R-phrases referred to under headings 2 and 3:

- |        |   |
|--------|---|
| R22    | Harmful if swallowed.   |
| R36    | Irritating to eyes.   |
| R36/38 | Irritating to eyes and skin.  |
| R40    | Limited evidence of a carcinogenic effect.  |
| R41    | Risk of serious damage to eyes.   |
| R43    | May cause sensitization by skin contact.  |
| R50    | Very toxic to aquatic organisms.  |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R68    | Possible risk of irreversible effects.  |

This Safety Data Sheet is compiled in accordance with European Directives and corresponding national legislation.

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.