



Quick-Laser™

... Laser printable polyester labels,
front panels and signs



- Print from any Laser Printer.
- Standard temperature range
-40° – +150°C
- High temperature version
to +300°C
- Strong Acrylic Adhesive
- A4 sheets, plain or die cut
- Silver, White, Yellow, Blue
and Green available
- Void-anti-tamper labels
available
- Over-lamination possible
on A4 plain sheets




*Typical
application*

Quick-Laser™

MEGA
Electronics


QUICK-LASER™ 50 sheets per carton - All types available as A4 plain sheets

101 × 38 mm




14 labels per sheet **1**

98 × 140 mm




4 labels per sheet **2**

98 × 70 mm




8 labels per sheet **3**

98 × 46 mm




12 labels per sheet **4**

98 × 35 mm




16 labels per sheet **5**

98 × 28 mm




20 labels per sheet **6**

85 × 55 mm




10 labels per sheet **7**

74 × 6 mm




96 labels per sheet **8**

69.5 × 269 mm




3 labels per sheet **9**

65 × 46 mm




18 labels per sheet **10**

65 × 35 mm




24 labels per sheet **11**

65 × 25.4 mm




33 labels per sheet **12**

65 × 20 mm




42 labels per sheet **13**

60 × 50 mm




15 labels per sheet **14**

52 × 26 mm




30 labels per sheet **15**

48 × 245 mm




4 labels per sheet **16**

48 × 140 mm




8 labels per sheet **17**

48 × 40 mm




28 labels per sheet **18**

48 × 31 mm




36 labels per sheet **19**

48 × 25.4 mm




44 labels per sheet **20**

48 × 20 mm




56 labels per sheet **21**

48 × 12.7 mm




88 labels per sheet **22**

45 × 30 mm




32 labels per sheet **23**

44.5 × 44.5 / ø 24mm



24 labels per sheet **24**


41 × 38 mm



35 labels per sheet **25**


which can be over-laminated or in any of the following die cut designs:

40 × 20 mm




65 labels per sheet **26**

40 × 12 mm




100 labels per sheet **27**

142.2 × 37.8 mm




10 labels per sheet **28**

32 × 31 mm




48 labels per sheet **29**

32 × 22 mm




72 labels per sheet **30**

32 × 16 mm




96 labels per sheet **31**

30 × 10 mm




168 labels per sheet **32**

28 × 21 mm




60 labels per sheet **33**

26.5 × 26.5 mm




54 labels per sheet **34**

26.5 × 18 mm




78 labels per sheet **35**

25 × 12 mm




161 labels per sheet **36**

22 × 10 mm




216 labels per sheet **37**

20 × 120 mm




16 labels per sheet **38**

20 × 10 mm




176 labels per sheet **39**

20 × 7 mm




224 labels per sheet **40**

18 × 12 mm




230 labels per sheet **41**

14 × 10 mm




231 labels per sheet **42**

11.5 × 96.7 mm




18 labels per sheet **43**

49 × 37 mm




28 labels per sheet **44**

ø 60 mm




12 labels per sheet **45**

ø 45 mm




24 labels per sheet **46**

ø 32 mm



48 labels per sheet **47**

ø 20 mm



117 labels per sheet **48**



Quick-Laser™

Specifications

Part number A4 plain	Part number A4 die cut	Type	Colour	Label + Adhesive	Liner	Temperature	Material	Adhesive
8L1-SA4	8L1-SD*	Type 1 Silver	Silver matt	0.09mm	0.08mm	-40°C - +150°C	Polyester	Modified Acrylic
8L2-WA4	8L2-WD*	Type 2 White	White	0.09mm	0.09mm	-40°C - +150°C	Polyester	Modified Acrylic
8L3-BA4 blue 8L3-GA4 green 8L3-RA4 red 8L3-YA4 yellow	8L3-BD* blue 8L3-GD* green 8L3-RD* red 8L3-YD* yellow	Type 3 Coloured	Red, blue, yellow, green	0.09mm	0.09mm	-40°C - +150°C	Polyester	Modified Acrylic
8L4-T A4	8L4-TD*	Type 4 Transparent	Transparent	0.09mm	0.09mm	-40°C - +150°C	Polyester	Modified Acrylic
8L5-KA5	N/A	Type 5 Rainbow pack	20 x Silver, 5 each white, trans., red, blue, yellow, green			-40°C - +150°C	Polyester	Modified Acrylic
8L6-V A4	8L6-VD*	Type 6 VOID	White	0.08mm	0.08mm	-40°C - +150°C	Polyester	Modified Acrylic
8L9-HA4	8L9-HD*	Type 9 High Temp. (20 sheets)	White	0.08mm	0.08mm	-40°C - +180°C +200°C (60 min) +250°C (5 min) +300°C (60 sec)	Acrylic	Modified Acrylic

All material supplied in A4 sheets 50 to a pack. (Except type 9 – only 20 sheet packs)

Die cut sheet part numbers - Replace the* with the die cut sheet part number e.g. 8L1-SD* becomes 8L1-SD01 for sheet design 1 and 8L1-SD20 for sheet design 20.

Over-lamination

Quick-Laser plain A4 sheets can be given extra protection by over-laminating with either Polyester or Polycarbonate. Application fluid is sprayed on the printed sheet to aid lamination.



Part number A4 sheets	Type	Colour	Label + Adhesive	Liner	Temperature	Material	Adhesive
8LL-7742	7742 Polyester Matt	Transparent Matt	0.05mm	0.06mm	-40°C - +125°C	Polyester	Modified Acrylic with UV stabiliser.
8LL-7741	7741 Polyester gloss	Transparent Gloss	0.05mm	0.06mm	-40°C - +125°C	Polyester	Modified Acrylic with UV stabiliser.
8LL-7737	7737 Polycarbonate	Transparent Polycarbonate	0.1mm	0.06mm	-40°C - +125°C	Polycarbonate	Modified Acrylic with UV stabiliser.